4357

Emu

DOUBLE KNITTING

•

3 PLY

•

4 PLY

28 to 44 inch chest sizes

R. & G. LOVATT,
WOOL SHOP,
44, MARKET ST.,
HEDNESFORD,
STAFFS.

NINEPENCE

PULLOVER

Emu

SCOTCH 3 PLY
CALYPSO CREPE

SCOTCH 4 PLY
SUPER CREPE
ACRILAN 4 PLY
BRI-NYLON 4 PLY

SCOTCH DOUBLE KNITTING
DOUBLE CREPE
ACRILAN DOUBLE KNITTING
BRI-NYLON DOUBLE KNITTING
COURTELLE DOUBLE KNITTING

To obtain a perfect result from this pattern it is essential to use one of the Emu qualities listed above and to purchase a sufficient quantity to complete the garment.

The garments featured on the front cover were knitted in 4 Ply.

To fit Chest	ins.	28	30	32	34	36	38	40	42	44
Actual Measurement	ins.	30	32	34	36	38	40	42	44	46
3 Ply	balls	6	7	8	8	9	9	10	10	11
4 Ply	balls	7	8	9	9	10	10	11	11	12
Double Knitting	balls	9	10	11	11	12	12	13	13	14
Courtelle Double Knitting	balls	9	9	10	10	11	11	12	12	13
Length	ins.	19	20½	22½	23	23½	24	24½	25	25½

3 Ply	One pair each of Aero Knitting Needles size 11 and 13.
4 Ply	One pair each of Aero Knitting Needles size 10 and 12.
Double Knitting	One pair each of Aero Knitting Needles size 8 and 10.
TENSION	We recommend that you test your tension before commencing the garment.
3 Ply	8½ stitches and 11 rows to 1 square inch measured over stocking stitch.
4 Ply	7½ stitches and 9½ rows to 1 square inch measured over stocking stitch.
Double Knitting	5½ stitches and 8 rows to 1 square inch measured over stocking stitch.

ABBREVIATIONS
K., knit; p., purl; st(s)., stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped stitch over.

NOTE: These instructions are written in nine sizes and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces.

Owing to the large number of sizes quoted in this pattern, we suggest that you underline all the figures for the size you require before commencing.

3 PLY

BACK

★ Using size 13 needles, cast on 129 (137, 145, 153, 163, 171, 179, 187, 197) sts.

1st row: K. 1, * p. 1, k. 1, rep. from * to end.

2nd row: P. 1, * k. 1, p. 1, rep. from * to end.

Rep. these 2 rows for 2½ inches. Change to size 11 needles and st.st. (1 row k., 1 row p.) and continue until work measures 10¾ (12, 13½, 13½, 13¾, 14¼, 14½, 14¾, 15) inches from the beg., ending with a p. row. ★

Shape Armholes

Cast off 6 (7, 7, 7, 8, 8, 7, 8, 9) sts. at the beg. of the next 2 rows.

Dec. 1 st. at each end of the next and every following alternate row until 83 (87, 91, 95, 99, 103, 107, 111, 115) sts. remain.

Continue without further shaping until work measures 7¼ (7½, 8, 8½, 8¾, 8¾, 9, 9¼, 9½) inches from commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 6 (6, 6, 6, 7, 7, 7, 8, 8) sts. at the beg. of the next 6 rows and then 4 (5, 6, 8, 6, 7, 8, 7, 9) sts. at the beg. of the next 2 rows.

Leave the remaining 39 (41, 43, 43, 45, 47, 49, 49, 49) sts. on a spare needle.

FRONT

Follow instructions for Back from ★ to ★.

Shape Armhole and Neck

Next row: Cast off 6 (7, 7, 7, 8, 8, 7, 8, 9) sts., k. 56 (59, 63, 67, 71, 75, 80, 83, 87), including st. used in casting off, k. 2 tog. and turn, leaving remaining sts. on a spare needle.

Next row: P. to end.

Dec. 1 st. at neck edge on every 4th row and ***at the same time*** dec. 1 st. at armhole edge on the next and every following alternate row until 32 (33, 34, 35, 36, 37, 38, 39, 40) sts. remain.

Keeping armhole edge straight, continue to dec. at neck edge as before until 22 (23, 24, 26, 27, 28, 29, 31, 33) sts. remain.

Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 6 (6, 6, 6, 7, 7, 7, 8, 8) sts. at the beg. of the next and 2 following alternate rows. Work 1 row. Cast off the remaining 4 (5, 6, 8, 6, 7, 8, 7, 9) sts. Slip the centre st. onto a safety pin. Join in wool at neck edge to remaining sts., k. 2 tog., k. to end.

Next row: Cast off 6 (7, 7, 7, 8, 8, 7, 8, 9) sts., p. to end. Complete to match first side of neck.

NECKBAND

Using a back stitch, join right shoulder seam. With right side of work facing and using size 13 needles, pick up and k. 86 (88, 92, 94, 98, 100, 102, 104, 106) sts. down right side of neck, k. centre st. (mark this st. with a coloured thread), pick up and k. 86 (88, 92, 94, 98, 100, 102, 104, 106) sts. up left side of neck, k. across the 39 (41, 43, 43,

45, 47, 49, 49, 49) sts. on back neck, inc. into last st. 213 (219, 229, 233, 243, 249, 255, 259, 263) sts.

1st row: (Wrong side) Rib to within 2 sts. of coloured thread, sl. 1, k. 1, p.s.s.o., p. 1, k. 2 tog., rib to end.

2nd row: Rib to within 2 sts. of coloured thread, sl. 1, k. 1, p.s.s.o., k. 1, k. 2 tog., rib to end.

Rep. these 2 rows for 1 inch. Cast off in rib, dec. on this row as before.

ARMBANDS

Using a back stitch, join left shoulder seam. With right side of work facing and using size 13 needles, pick up and k. 148 (156, 164, 172, 180, 184, 190, 196, 200) sts. evenly around armhole edge. Work in k. 1, p. 1 rib for 1 inch, dec. 1 st. at both ends of every right side row. Cast off in rib.

TO MAKE UP

See Double Knitting version.

4 PLY

BACK

★ Using size 12 needles, cast on 113 (121, 129, 135, 143, 151, 159, 165, 173) sts.

1st row: K. 1, * p. 1, k. 1, rep. from * to end.

2nd row: P. 1, * k. 1, p. 1, rep. from * to end.

Rep. these 2 rows for 2½ inches. Change to size 10 needles and st.st. (1 row k., 1 row p.) and continue until work measures 10¾ (12, 13½, 13½, 13¾, 14¼, 14½, 14¾, 15) inches from the beg., ending with a p. row. ★

Shape Armholes

Cast off 6 (6, 7, 7, 7, 8, 8, 8, 8) sts. at the beg. of the next 2 rows.

Dec. 1 st. at each end of the next and every following alternate row until 73 (77, 81, 85, 89, 93, 97, 101, 105) sts. remain.



Continue without further shaping until work measures 7¼ (7½, 8, 8½, 8¾, 8¾, 9, 9¼, 9½) inches from commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 5 (5, 5, 6, 6, 6, 7, 7, 8) sts. at the beg. of the next 6 rows and then 4 (5, 7, 5, 6, 8, 6, 7, 6) sts. at the beg. of the next 2 rows.

Leave the remaining 35 (37, 37, 39, 41, 41, 43, 45, 45) sts. on a spare needle.

FRONT

Follow instructions for Back from ★ to ★.

Shape Armhole and Neck

Cast off 6 (6, 7, 7, 7, 8, 8, 8, 8) sts., k. 48 (52, 55, 58, 62, 65, 69, 72, 76), including st. used in casting off, k. 2 tog. and turn, leaving remaining sts. on a spare needle.

Next row: P. to end.

Dec. 1 st. at neck edge on every 4th row and ***at the same time*** dec. 1 st. at armhole edge on the next and every following alternate row until 28 (29, 31, 32, 33, 35, 36, 37, 38) sts. remain.

Keeping armhole edge straight, continue to dec. at neck edge as before until 19 (20, 22, 23, 24, 26, 27, 28, 30) sts. remain.

Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 5 (5, 5, 6, 6, 6, 7, 7, 8) sts. at the beg. of the next and 2 following alternate rows. Work 1 row. Cast off the remaining 4 (5, 7, 5, 6, 8, 6, 7, 6) sts. Slip the centre st. onto a safety pin. Join in wool at neck edge to remaining sts., k. 2 tog., k. to end.

Next row: Cast off 6 (6, 7, 7, 7, 8, 8, 8, 8) sts., p. to end.

Complete to match first side of neck.

NECKBAND

Using a back stitch, join right shoulder seam. With right side of work facing and using size 12 needles, pick up and k. 71 (73, 77, 83, 85, 87, 89, 91, 93) sts. down right side of neck, k. centre st. (mark this st. with a coloured thread), pick up and k. 71 (73, 77, 83, 85, 87, 89, 91, 93) sts. up right side of neck, k. across the 35 (37, 37, 39, 41, 41, 43, 45, 45) sts. on back neck, inc. into last st. 179 (185, 193, 207, 213, 217, 223, 229, 233) sts.

1st row: (Wrong side) Rib to within 2 sts. of coloured thread, sl. 1, k. 1, p.s.s.o., p. 1, k. 2 tog., rib to end.

2nd row: Rib to within 2 sts. of coloured thread, sl. 1, k. 1, p.s.s.o., k. 1, k. 2 tog., rib to end.

Rep. these 2 rows for 1 inch. Cast off in rib, dec. on this row as before.

ARMBANDS

Using a back stitch, join left shoulder seam. With right side of work facing and using size 12 needles, pick up and k. 128 (132, 140, 152, 156, 158, 160, 164, 168) sts. evenly around armhole edge. Work in k. 1, p. 1 rib for 1 inch, dec. 1 st. at both ends of every right side row. Cast off in rib.

TO MAKE UP

See Double Knitting version.

Emu

DOUBLE KNITTING

BACK

★ Using size 10 needles, cast on 83 (89, 95, 99, 105, 111, 117, 121, 127) sts.

1st row: K. 1, * p. 1, k. 1, rep. from * to end.

2nd row: P. 1, * k. 1, p. 1, rep. from * to end.

Rep. these 2 rows for 2½ inches. Change to size 8 needles and st.st. (1 row k., 1 row p.) and continue until work measures 10¾ (12, 13½, 13½, 13¾, 14¼, 14½, 14¾, 15) inches from the beg., ending with a p. row. ★

Shape Armholes

Cast off 4 (4, 5, 5, 6, 6, 6, 6, 7) sts. at the beg. of the next 2 rows.

Dec. 1 st. at each end of the next and every following alternate row until 57 (61, 65, 69, 73, 77, 81, 85, 89) sts. remain. Continue without further shaping until work measures 7¼ (7½, 8, 8½, 8¾, 8¾, 9, 9¼, 9½) inches from commencement of armhole shaping, ending with a p. row.

Shape Shoulders

Cast off 5 (5, 6, 6, 7, 7, 8, 8, 9) sts. at the beg. of the next 4 rows and then 5 (6, 6, 7, 6, 8, 7, 9, 9) sts. at the beg. of the next 2 rows. Leave the remaining 27 (29, 29, 31, 33, 33, 35, 35, 35) sts. on a spare needle.

FRONT

Follow instructions for Back from ★ to ★.

Shape Armhole and Neck

Next row: Cast off 4 (4, 5, 5, 6, 6, 6, 6, 7) sts., k. 35 (38, 40, 42, 44, 47, 50, 52, 54), including st. used in casting off, k. 2 tog. and turn, leaving remaining sts. on a spare needle.

Next row: P. to end.

Dec. 1 st. at neck edge on every 4th row and ***at the same time*** dec. 1 st. at armhole edge on the next and every following alternate row until 23 (24, 26, 28, 30, 32, 33, 35, 37) sts. remain.

Keeping armhole edge straight, continue to dec. at neck edge as before until 15 (16, 18, 19, 20, 22, 23, 25, 27) sts. remain.

Continue without further shaping until work measures the same as Back to shoulder, ending at armhole edge.

Shape Shoulder

Cast off 5 (5, 6, 6, 7, 7, 8, 8, 9) sts. at the beg. of the next and following alternate row. Work 1 row. Cast off the remaining 5 (6, 6, 7, 6, 8, 7, 9, 9) sts. Slip the centre st. onto a safety pin. Join in wool at neck edge to remaining sts., k. 2 tog., k. to end.

Next row: Cast off 4 (4, 5, 5, 6, 6, 6, 6, 7) sts., p. to end. Complete to match first side of neck.

NECKBAND

Using a back stitch, join right shoulder seam. With right side of work facing and using size 10 needles, pick up and k. 58 (60, 64, 66, 68, 68, 70, 70, 72) sts. down right side of neck, k. centre st. (mark this st. with a coloured thread), pick up and k. 58 (60, 64, 66, 68, 68, 70, 70, 72) sts. up left side of neck, k. across the 27 (29, 29, 31, 33, 33, 35, 35, 35) sts. on back neck, inc. into last st. 145 (151, 159, 165, 171, 171, 177, 177, 181) sts.

1st row: (Wrong side) Rib to within 2 sts. of coloured thread, sl. 1, k. 1, p.s.s.o., p. 1, k. 2 tog., rib to end.

2nd row: Rib to within 2 sts. of coloured thread, sl. 1, k. 1, p.s.s.o., k. 1, k. 2 tog., rib to end.

Rep. these 2 rows for 1 inch. Cast off in rib, dec. on this row as before.

ARMBANDS

Using a back stitch, join left shoulder seam. With right side of work facing and using size 10 needles, pick up and k. 104 (108, 114, 122, 124, 126, 130, 134, 138) sts. evenly around armhole edge. Work in k. 1, p. 1 rib for 1 inch, dec. 1 st. at both ends of every right side row. Cast off in rib.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth, omitting ribbing. If Bri-Nylon, Acrilan or Courtelle has been used, press with a dry cloth instead of a damp one. Using a back stitch, join side seams.

Copyright printed in England.

Do write if in need of advice on this pattern to
JANET MINTON, EMU WOOLS LTD.,
15 WOODSTOCK ST., LONDON, W.1.